



Texture Sprayers

Graco's Complete Line of Professional Texture Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

Texture Application Guide

Get the Interior and Exterior Finish You Want!

With the widest selection of texture models to choose from and a host of performance enhancing accessories, there is a TexSpray texture sprayer to help you complete your projects—no matter what finish you desire.

INTERIOR TEXTURE

Simulated Acoustic (Popcorn)



Orange Peel, Fine Splatter




Splatter



Knockdown



Smooth, Level 5 and Skim Coat



COMMONLY USED MATERIALS

- Ceiling Spray Textures Containing Polystyrene or Vermiculite Aggregate (Fine, Medium, Coarse)






- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures

- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures

- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures


- All-Purpose Joint Compounds
- Lightweight Joint Compounds
- Wall and Ceiling Spray Textures
- Skim Coat Materials
- Wall Surfacing Materials

SPRAYER RECOMMENDATIONS



EXTERIOR TEXTURE

Textured Acrylics and Elastomerics



EIFS and Synthetic Stucco Finish Coats



Deck Coatings






COMMONLY USED MATERIALS

- Textured Acrylic Materials
- Textured Elastomeric Materials

- Textured Acrylic Materials Used as the Final Coat in a Multi-layered Wall System

- Decorative and Anti-Skid Deck Coatings

SPRAYER RECOMMENDATIONS



TEXTURE ACCESSORIES

Fine Finish Kit (Part #287227)
Use with RTX 1500, GTX 2000Ex

Siphon Kit (Part #248112)
Use with GTX 2000Ex

Air Line Kit (Part #248117)
Use with GTX 2000Ex

Fine Finish Kit (Part #287227)
Use with RTX 1500, GTX 2000Ex

Siphon Kit (Part #248112)
Use with GTX 2000Ex

Air Line Kit (Part #248117)
Use with GTX 2000Ex

Air Atomizer Kit (Part #244223)
Use with Mark IV, Mark V, 5900 HD, 7900 HD

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD

Fine Finish Kit (Part #287227)
Use with RTX 1500, GTX 2000Ex

Siphon Kit (Part #248112)
Use with GTX 2000Ex

Air Line Kit (Part #248117)
Use with GTX 2000Ex

Air Atomizer Kit (Part #244223)
Use with Mark IV, Mark V, 5900 HD

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD

Air Line Kit (Part #248117)
Use with GTX 2000Ex, DutyMax GH 230Dl*, DutyMax GH 300Dl*

Air Atomizer Kit (Part #244223)
Use with Mark IV, Mark V, 5900 HD

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, HTX 2030, DutyMax GH 230Dl*, DutyMax GH 300Dl*

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD, HTX 2030, DutyMax GH 230Dl*, DutyMax GH 300Dl*

25 Gallon Hopper (Part #287987)
Use with Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230Dl*, DutyMax GH 300Dl*

55 Gallon Siphon Set (Part #289669)
Use with Mark X 240 Volt, 7900 HD, DutyMax GH 230Dl*, DutyMax GH 300Dl*

High Pressure Pump Kit (Part #248140)
Use with HTX 2030

TEXTURE ACCESSORIES

Fine Finish Kit (Part #287227)
Use with RTX 1500, GTX 2000Ex

External Air Kit (Part #287328)
Use with RTX 1500

Fine Finish Kit (Part #287227)
Use with RTX 1500, GTX 2000Ex

External Air Kit (Part #287328)
Use with RTX 1500

Fine Finish Kit (Part #287227)
Use with RTX 1500, GTX 2000Ex

External Air Kit (Part #287328)
Use with RTX 1500

*User supplied air compressor and Air Atomizer Kit (Part # 244223) required for this application.

†External Air Kit (Part #287328) recommended for this application.

TexSpray
RTX 1250

DESCRIPTION
TEXSPRAY RTX 1250

PART #
254975

SPECIFICATIONS
MAX GPM (LPM): 1.25 (4.7)
MAX PSI (BAR): 70 (4.9)
MAX HOSE FT (M): 25 (7.5)
MOTOR HP: 1.7
HOPPER GAL (L): 10 (38)

INCLUDES
• Air Spray Trigger Gun
• 3 mm, 4 mm, 6 mm, 8 mm Nozzles
• 3/4 in x 25 ft (19 mm x 7.5 m) Bonded Air/Material Hose

The **RTX 1250** is the full-featured choice of remodeling and general contractors who want to include texture finishing as part of their service offerings.



Large 10-Gallon Capacity Hopper
Ultra-low entry height of 34 inches makes filling the hopper easier.



RotoFlex II Texture Pump

- ▶ Features an innovative braided sling that provides extra support to the RotoFlex pump tube
- ▶ Delivers smooth material flow for uniform coverage and a consistent spray pattern

Adjustable Material Flow Control

- ▶ Dial up to spray thicker material at a high production rate; dial down for more control on orange peel or splatter jobs or in tight areas
- ▶ Easy-to-read gauges

High Capacity On-Board Air Compressor

- ▶ Projects material farther
- ▶ Complete air-consuming splatter and orange peel finishes faster

QuikChange™ Pump Section

- ▶ No tools pump removal and replacement changes in less than 5 minutes

Bonded Material/Air Hose

- ▶ Both hoses are permanently bonded together for easy handling
- ▶ No-tools hose connection with oversized grip

Exclusive Dual-Use Gun

- ▶ Versatile design converts quickly to a hopper gun for touch-up jobs
- ▶ Easy-to-use air trigger adjustments on the gun

Automatic Pressure Unloader

- ▶ Ensures a soft start with each trigger pull
- ▶ Eliminates the material blast that can impact finish quality
- ▶ Results in less material waste and less clean up
- ▶ Dramatically extends pump life

RotoFlex HD Texture Pump

- ▶ 2.0 gpm output gets the job done quickly
- ▶ 100 psi material pressure allows longer hose lengths, minimizing time spent moving the sprayer
- ▶ Large, 7/8-inch ID pump tube passes large particles easily



The **RTX 1500** is packed with innovative features and performance points—designed for the professional texture contractor.



Large 15-Gallon Capacity Hopper
No-tools removal for easy clean up along with steep sides to keep thick muds flowing to the pump.

TexSpray
RTX 1500

DESCRIPTION
TEXSPRAY RTX 1500

PART #
248201

SPECIFICATIONS
MAX GPM (LPM): 2.0 (7.5)
MAX PSI (BAR): 100 (7.0)
MAX HOSE FT (M): 100 (30)
MOTOR (HP): 2.0
HOPPER GAL (L): 15 (56.8)

INCLUDES
• Heavy-Duty Trigger Gun
• 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm Nozzles
• 1 in x 25 ft (25.4 mm x 7.5 m) Bonded Air/Material Hose

High-Output Air Compressor

- ▶ Produces 6.5 cfm at 45 psi
- ▶ Projects texture farther
- ▶ Maximum 10.2 cu ft/min displacement for long life

QuikChange Pump Section

- ▶ No-tools pump removal and replacement changes in less than 5 minutes
- ▶ Pump removal and replaces changes in less than 5 minutes

Bonded Material/Air Hose

- ▶ Both hoses are permanently bonded together for easy handling

Air Spray Heavy-Duty Trigger Gun

- ▶ Durable cast aluminum design
- ▶ Oversized fluid passages for pumping heavy mud mixes and larger aggregate sizes
- ▶ Non-bleeder design shuts air flow off each time trigger is closed
- ▶ Extra-coarse gun head threads for quick nozzle changes



HTX 2030 Gas Mechanical Texture Sprayer

When it comes to spraying the most demanding materials, nothing compares to the HTX 2030 gas mechanical sprayer. Specially equipped with features and technologies to spray nearly everything, the HTX 2030 does what no other sprayer can accomplish. Whether your job requires exterior smooth and aggregate coatings, elastomers, acrylic coatings, or drywall mud finishes, the proven HTX 2030 is the sprayer of choice. Add the available high-pressure MaxLife® Endurance Pump, and you can also spray the entire range of paints and primers! From texture finishing to final topcoat, you can count on the proven HTX to get the *entire* job done.

High-Output Texture Pump

- ▶ Uniquely designed pump with extra large passages allows pumping aggregated materials up to 2.5 mm
- ▶ No-tools hose connections at pump and gun
- ▶ Innovative soft seal in the foot valve ensures consistent and optimal performance
- ▶ Produces delivery rates to 3.0 gpm at 1000 psi for time-saving production rates
- ▶ Easily sprays smooth and aggregate textures, elastomers and acrylic materials



PowerFlo™ Control System

Designed specifically for the RTX family of texture sprayers, these guns feature oversized passages and durable construction. Its heavy-duty, durable cast aluminum body is 25% lighter than competitive designs.

- ▶ Extra coarse head threads make nozzle changes quick and easy
- ▶ Oversized passages easily pump heavy mud mixes and oversized aggregates
- ▶ Integrated needle adjustment and ball valve air adjustment



StraightThru™ Fluid Path

- ▶ StraightThru design eliminates turns and corners from pump to gun
- ▶ Puts less stress on material to virtually eliminate pack-out conditions
- ▶ Enables the spraying of today's more demanding and aggressive aggregate materials

Wide Variety of Applicators

- ▶ **FreeFlo™ Inline Gun** offers oversized, unobstructed fluid passages to provide maximum flow
- ▶ **Trigger Gun Applicator** provides one-handed operation, has trigger shut-off to prevent material oozing, and is ideal for spraying EIFS and synthetic stucco finish coats
- ▶ **Sprays Air-Assisted** in either a round pattern or wide fan pattern for fast, consistent material coverage
- ▶ **3 ft Pole Gun*** offers extended reach to minimize repositioning of lifts and ladders (patent pending)
- ▶ **Flex Head Pole Gun*** offers greater control in tight areas, such as on scaffolding and around architectural detail
- ▶ **Both New Pole Guns** can spray in a wide fan pattern—*an industry first!*



*Sold Separately



TexSpray HTX 2030 Complete
Part #: 258740

TexSpray HTX 2030 Complete Plus+
Part #: 258741

TEXTURE APPLICATIONS: Get the interior and exterior texture finish you want with aggregate size up to 2.5 mm.



Exclusive Convert-A-Pump™ System (Included with HTX 2030 Complete Plus+)

- ▶ Innovative system allows user to convert unit to a high pressure airless sprayer for applying the wide range of heavier smooth coatings including skim coat in a Level 5 finish, primers and paints.
- ▶ System automatically recognizes installed pump and converts it to an airless sprayer.
- ▶ Allows you to upgrade your TexSpray HTX 2030 Complete to a TexSpray HTX 2030 Complete Plus+ at any time (with the MaxLife Endurance High-Pressure Pump Kit #24B140) to expand your job capabilities.



Gas Powered Aggregate

TexSpray HTX 2030 Complete

DESCRIPTION	PART #
TEXSPRAY HTX 2030 COMPLETE WITH FREEFLO INLINE GUN	258740
TEXSPRAY HTX 2030 COMPLETE WITH TRIGGER GUN APPLICATOR	278677

SPECIFICATIONS	
MAX TIP SIZE:	.071
MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
ENGINE CC (HP):	Honda 200 (6.5)

- INCLUDES**
- High-Output Piston Texture Pump
 - FreeFlo Inline Gun
 - RAC X 671 Airless Tip and Guard
 - 3/4 in x 50 ft (19 mm x 15 m) Hose
 - 55 Gallon Suction Set
 - Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in Nozzles
 - 4 mm, 6 mm, 8 mm, 10 mm Nozzles

TexSpray HTX 2030 Complete Plus+

DESCRIPTION	PART #
TEXSPRAY HTX 2030 COMPLETE PLUS+ WITH FREEFLO™ INLINE GUN	258741
TEXSPRAY HTX 2030 COMPLETE PLUS+ WITH TRIGGER GUN APPLICATOR	278678

- PLUS+ INCLUDES**
- All the parts of the HTX 2030 Complete
- PLUS**
- MaxLife Endurance High Pressure Airless Pump
 - Heavy-Duty Texture Gun
 - RAC X 643 Airless Tip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x .9 m) Whip Hose

Air-Powered Texture Sprayers

High-performance solutions for heavy-duty jobs

Whether you need to apply a texture coating to a large interior surface, or an exterior aggregate finish on a large commercial job, these air-powered texture solutions get the job done fast! Powered by your external air compressor, these pumps offer unmatched performance, quiet operation and unique features found only on a Graco texture sprayer.

GTX 2000EX

Designed around Graco's proven Husky™ diaphragm pump, the GTX 2000EX is a highly portable texture system ideal for applying both smooth materials as well as those containing fine aggregates. Fitted with an oversized hopper and durable Graco Texture Gun, it's the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.



Husky™ 1040 Double Diaphragm Pump

- ▶ Durable Geolast™ ball check valves
- ▶ High-output, 1-inch pump produces texture delivery rates to 4.0 gpm

Air Spray Heavy-Duty Trigger Gun

- ▶ Durable cast aluminum design
- ▶ Oversized fluid passages for pumping heavy mud mixes and larger aggregate sizes
- ▶ Extra-coarse gun head threads for quick nozzle changes

Largest 17-Gallon Capacity Hopper

- ▶ No-tools removal for easy clean up
- ▶ Steep sided to keep the thickest muds flowing to the pump

Separate Pump/Gun Air Controls

- ▶ One regulator controls pump pressure and output, another controls atomization air
- ▶ Enables you to produce precise, consistent and repeatable texture finishes

Bonded Material/Air Hose

- ▶ Both hoses are permanently bonded together for easy handling
- ▶ No-tools hose connection with oversized grip


On-Board Air Filtration

- ▶ Auto-drain design automatically removes moisture build-up
- ▶ Filters incoming air to keep your sprayer running at optimal performance

*User-supplied air compressor with minimum performance of 12 cu ft/min (.34 cu m/min) at 100 psi (6.9 bar) recommended.

President 10:1

When you need to pump directly from the drum, look no further than the time-tested, proven President 10:1 air-powered pump. Ideal for truck, trailer, or in-plant locations, it features a high-output piston pump and Even-Flo™ Valve for consistent spray delivery. It's ideal for everything from smooth to heavily aggregated materials containing silica sand, perlite, vermiculite, polystyrene, and other aggregated materials.



Even-Flo Valve convenient for balancing of air and fluid pressures to deliver a high quality finish.

EvenFlow Valve

- ▶ Provides smooth, even material flow for the most consistent finish quality
- ▶ Includes air regulators and pressure gauges for easy setup and operation

Relax-A-Valve (Carbon Steel Model Only)

- ▶ Ensures a soft start with easy trigger pull
- ▶ Eliminates the material blast that can impact finish quality

High-Output Piston Pump

- ▶ Submerged foot valve is placed low to the ground to ensure the pump is preloaded with material
- ▶ Available in both carbon steel and stainless steel
- ▶ High-output pump produces texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar) for time-saving production ratios

Heavy-Duty Graco Air Motor

- ▶ Time-tested air motor delivers years of reliable, dependable operation
- ▶ Simple, maintenance-free design

Convenient Drum Mount Set-Up

- ▶ Mounts directly to your material container, saving space in your truck or on the job
- ▶ Carbon steel units can be used in open or closed head drums



Air-Power Texture

TexSpray GTX 2000EX

DESCRIPTION	PART #
TEXSPRAY GTX 2000EX	257030

SPECIFICATIONS	
MAX GPM (LPM):	4.0 (15.1)
MAX PSI (BAR):	120 (8.3)
MAX HOSE FT (M):	100 (30)
HOPPER GAL (L):	17 (64.3)

INCLUDES	
• Air Spray Trigger Gun	
• 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm Nozzles	
• 1 in x 25 ft (25.4 mm x 7.5 m) Bonded Air/Material Hose	

President 10:1

DESCRIPTION	PART #
10:1 CARBON STEEL COMPLETE	225886

SPECIFICATIONS	
MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

INCLUDES	
• Heavy-Duty Air Spray Gun	
• 6 mm Nozzle	
• 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose	
• 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose	
• 3/4 in x 25 ft (19 mm x 7.5 m) High Pressure Material Hose	

DESCRIPTION	PART #
10:1 CARBON STEEL COMPLETE	225877

10:1 SST COMPLETE	987429
-------------------	--------

SPECIFICATIONS	
MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

INCLUDES	
• Heavy-Duty Air Spray Gun	
• 6 mm Nozzle	
• 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose	
• 3/4 in x 25 ft (19 mm x 7.5 m) Air Hose	
• 3/4 in x 50 ft (19 mm x 15 m) High Pressure Material Hose	
• 1 in x 50 ft (25 mm x 15 m) High Pressure Material Hose	

DESCRIPTION	PART #
10:1 SST BARE	954088

SPECIFICATIONS	
MAX GPM (LPM):	3.0 (11)
MAX PSI (BAR):	1000 (70)
MAX HOSE FT (M):	200 (61)

Mark Standard Series

EVERYDAY RELIABILITY

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series sprayers of the Mark texture sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"



MaxPower Motor Graco's compact and powerful MaxPower brushless DC motors are designed to produce the most power possible for all painting applications.

- ▶ Higher torque = More work done
- ▶ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- ▶ Brushless design means that you will never need to replace brushes
- ▶ Lifetime warranty

SmartControl™ 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- ▶ Spray thicker coatings and run longer hoses
- ▶ ProGuard™ Sprayer Protection System guards against bad or extreme jobsite power conditions



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.


- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Hi-Boy TiltBack™ kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes



Easy Out™ Pump Filter



The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 22.3 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty




Endurance Pump with Max Flo™+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- ▶ Foot valve is positioned low to the ground where it stays submerged in the material bucket
- ▶ New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying



Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, HD Blue Texture gun and 50 feet of BlueMax™ II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.



TexSpray Mark IV

SERIES	PART #
STANDARD	16W897
PROCONTRACTOR	16W898

SPECIFICATIONS	
MAX TIP SIZE:	.033
MAX GPM (LPM):	1.10 (4.1)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

- INCLUDES**
- STANDARD SERIES UNIT:**
- Flex Plus Gun
 - LTX425 SwitchTip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose
- PROCONTRACTOR SERIES UNIT:**
- Flex Plus Gun
 - LTX425 SwitchTip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Texture spraying is all about high productivity, and that's where the **Mark IV** sprayer really delivers. Designed to save time and money by enabling you to spray more square footage in a day, this unit offers valuable, must-have features for the serious professional contractor. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint, this sprayer can do it all!



The Graco **TexSpray Mark V** is built to deliver a higher flow rate that lets you get the job done faster. It features 20 percent more productivity than the Mark IV and comes with an upgraded Heavy-Duty Texture Gun. It can accommodate a larger tip size, and has the power to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers and paint.

TexSpray Mark V

SERIES	PART #
STANDARD	16W905
PROCONTRACTOR	16W906
IRONMAN	16X947

SPECIFICATIONS	
MAX TIP SIZE:	.039
MAX GPM (LPM):	1.35 (5.1)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.8 hp Brushless DC

- INCLUDES**
- STANDARD SERIES UNIT:**
- Heavy-Duty Texture Gun
 - LTX425 SwitchTip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose
- PROCONTRACTOR AND IRONMAN SERIES UNIT:**
- Heavy-Duty Texture Gun
 - LTX425 SwitchTip and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



"We use Graco because they get the productivity we need. Everything in this industry is about productivity."

Joey Vukelich, General Foreman
Performance Contracting, Inc.



Electric Airless

TexSpray Mark X 240 Volt

SERIES	PART #
STANDARD	16W908
PROCONTRACTOR	16X099
SPECIFICATIONS	
MAX TIP SIZE:	.045
MAX GPM (LPM):	2.10 (8.0)
MAX PSI (BAR):	3300 (227)
MOTOR:	4.0 hp Brushless DC

- INCLUDES**
- STANDARD SERIES UNIT:**
- Heavy-Duty Inline Gun
 - RAC X 531, 541 SwitchTips and Guard
 - 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

- PROCONTRACTOR SERIES UNIT:**
- Heavy-Duty Inline Gun
 - RAC X 531, 541 SwitchTips and Guard
 - 1/2 in x 100 ft (13 mm x 30 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

Connects to standard 220-240 Volt L6-30 receptacle (3 wire) on most distribution boxes or generators.



The Most Powerful Electric Airless Texture Sprayer—Period!

The **TexSpray Mark X 240 Volt** is our most productive electric airless/texture unit. With nearly double the output of the Mark V, it is the sprayer of choice for serious professional contractors who take advantage of the 240 volt power available at a construction site or with a generator. A true powerhouse, it can easily spray skim coat in a Level 5 finish and drywall mud in an orange peel, splatter or knockdown finish. It can even apply the whole range of primers and paints.



"The reason I use the Mark sprayer is because of the productivity and how much footage we get everyday."

Ron Fuller, General Foreman
Anning-Johnson



SMALL RESIDENTIAL AND LIGHT COMMERCIAL

HD Standard Series

EVERYDAY RELIABILITY

When you're tackling texture projects multiple days a week, you demand reliability. Graco's Standard Series of HD gas-powered sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

No matter what Standard Series sprayer you need, they all come equipped with many exclusive features found "Only On A Graco"

Honda® Engine This contractor-preferred, compact, and lightweight Honda engine is reliable, technologically advanced and easy to start

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage

SmartControl™ 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- ▶ Spray thicker coatings and run longer hoses



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Hi-Boy TiltBack™ kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes

POWERED by HONDA™




Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, HD Blue Texture gun and 50 feet of BlueMax™ II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.


Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 22.3 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the engine and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty



Endurance Pump with Max Flo™+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- ▶ Foot valve is positioned low to the ground where it stays submerged in the material bucket
- ▶ New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying



STANDARD SERIES

HD ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of HD texture sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, **Plus much more!**



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics



WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when material runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



QuikReel™ With the integrated QuikReel you can deploy and rewind the hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



Ready To Spray Everything you need—texture gun, SwitchTip™s and 100 feet of Blue Max II hose is already assembled and ready to use right out of the box, getting you working that much faster.



ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.



HD IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, the IronMan series of HD gas-powered airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the features of the Standard Series, **Plus much, much more!**



SmartControl 3.0 with LED Display

Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics



WatchDog The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage

Heavy-Duty Hose and Gun

100 feet of high-performance BlueMax II airless hose and a Heavy-Duty Blue Texture gun that can handle spraying heavier materials are included with every IronMan sprayer.



Extreme-Duty MaxLife® Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Exclusive MaxLife sleeve and Chromex rod
- ▶ Lasts longer between repacks
- ▶ Oversized fluid passages deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out



- ▶ Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying



ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding jobsites.

- ▶ Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites



Flat-Proof Tires These tires can't be punctured by nails, screws or other sharp debris. They will **never** go flat, leaving the sprayer stranded on a job site.



TexSpray 5900 HD

SERIES	PART #
STANDARD	16W889
PROCONTRACTOR	16W882

SPECIFICATIONS	
MAX TIP SIZE:	0.043
MAX GPM (LPM):	1.6 (6.0)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 160 (5.5)

- INCLUDES**
- STANDARD SERIES UNIT:**
- Heavy-Duty Texture Gun
 - LTX531, LTX427 SwitchTips and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

- PROCONTRACTOR SERIES UNIT:**
- Heavy-Duty Texture Gun
 - LTX531, LTX427 SwitchTips and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

Welcome to a new world of versatile gas-powered airless/texture spraying with the **TexSpray 5900 HD**. Built with must-have features that are designed to save you time and money, the TexSpray 5900 HD delivers top-notch performance and versatility. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can handle just about any task you need it to. Doing the job just got easier with Graco!



"We like to train with Graco equipment because we know that's what the guys are using in the field."

Tom Nesbitt
Drywall Apprenticeship Coordinator
Southern CA District Council 36

TexSpray 7900 HD

SERIES	PART #
STANDARD	16W890
PROCONTRACTOR	16W888
IRONMAN	16X949

SPECIFICATIONS	
MAX TIP SIZE:	0.048
MAX GPM (LPM):	2.2 (8.3)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	Honda 200 (6.5)


- INCLUDES**
- STANDARD SERIES UNIT:**
- Heavy-Duty Texture Gun
 - LTX531, LTX427 SwitchTips and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

- PROCONTRACTOR AND IRONMAN SERIES UNIT:**
- Heavy-Duty Texture Gun
 - LTX531, LTX427 SwitchTips and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

When you need the highest performance for the biggest jobs, look no further than the **7900 HD**.

Designed from pump to gun for maximum flow and extreme durability, every 7900 HD comes equipped with the Extreme-Duty MaxLife™ Endurance Pump—Graco's toughest pump. Whether you need to spray skim coat in a Level 5 finish, drywall mud in an orange peel, splatter or knockdown finish or even the wide range of primers, paints and other heavy coatings, this sprayer can do it all!

EVERY TexSpray 7900 HD is **MAXLIFE™ EQUIPPED**



DutyMax Standard Series

EVERYDAY RELIABILITY

When you're tackling painting projects multiple days a week, you demand reliability. Graco's Standard Series of DutyMax hydraulic direct-immersion sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.



Honda® Engine Compact, lightweight, and powerful, Honda engines are reliable, technologically advanced, and easy to start.

- ▶ Oil Alert shuts down engine if oil level drops too low, preventing damage
- ▶ Contractor preferred



POWERED by **HONDA**

High-Capacity Cooling System A hydraulic pump is only as good as its cooling system, and Graco's innovative design allows the pump to run cooler and more efficiently.

- ▶ Innovative hydraulic reservoir is tapered on the bottom, allowing easier and more thorough fluid changes
- ▶ Cooling fins on reservoir deflect heat away from sprayer
- ▶ No special hydraulic fluid needed




Rugged, Durable Cart Design

With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over welded steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage

Endurance Pump with Max Flo™+ Graco's Endurance Pump is the most rugged and reliable long pump on the market today. Oversized clearances ensure minimal pressure drop and surge-free performance. The pump's specially designed, submerged foot valve efficiently loads thick, heavy material while protecting against pack-out and clogging.

- ▶ Foot valve is positioned low to the ground where it stays submerged in the material bucket
- ▶ New Max Flo+ with Packout Protection provides oversized fluid passages to deliver maximum flow of even the heaviest materials while virtually eliminating pump pack-out
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying



High-Efficiency Hydraulic Motor

Graco's hydraulic motor delivers rock-solid performance time after time and keeps you up and running.

- ▶ Faster, more responsive changeover
- ▶ 100% O-ring sealed fittings prevent leaks
- ▶ Fewer moving parts mean less maintenance and longer life



Easy Out Pump Filter

The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess

Ready To Work Everything you need to get spraying—RAC X™ SwitchTip™, HD Blue Texture gun and 50 feet of BlueMax™ II hose is included.

Indoor and Outdoor Use Quickly swap the gas engine for an electric motor in seconds—without tools! (Available on DutyMax GH 230DI Convertible.)

STANDARD SERIES

LARGE RESIDENTIAL AND COMMERCIAL

DutyMax ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of DutyMax hydraulic airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the features of the Standard Series, *Plus much more!*



Ready To Spray Everything you need—RAC X SwitchTips, Contractor gun and 100 feet of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



Extreme-Duty MaxLife® Pump

Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Lasts **6X longer** between repacks
- ▶ Exclusive MaxLife sleeve and rod
- ▶ Oversized clearances ensure minimal pressure drop and increased performance
- ▶ Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying

QuikReel™ With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.

- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



ProConnect™ Graco's ProConnect Pump Removal and Installation System makes it easy and fast to replace the pump.

- ▶ Eliminates costly job site downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools

Heavy-Duty Rock Catcher

Stands up to harsh impacts.



Hydraulic Airless

TexSpray DutyMax GH 230DI Convertible

SERIES	PART #
STANDARD	24W943
STANDARD with Electric Motor Kit (non CSA)	24W944
STANDARD with Electric Motor Kit (CSA)	24W945
PROCONTRACTOR	24W962
PROCONTRACTOR with Electric Motor Kit (non CSA)	24W963
PROCONTRACTOR with Electric Motor Kit (CSA)	24W964

SPECIFICATIONS (with Gas Engine)

MAX TIP SIZE:	0.053
MAX GPM (LPM):	2.35 (8.9)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	200 (6.5)

SPECIFICATIONS (with Electric Motor)

MAX TIP SIZE:	0.031
MAX GPM (LPM):	1.10 (4.2)

- INCLUDES**
STANDARD SERIES UNITS:
- Heavy-Duty Texture Gun
 - LTX427, LTX531 SwitchTips and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose

- PROCONTRACTOR SERIES UNIT:**
- Heavy-Duty Texture Gun
 - LTX427, LTX531 SwitchTips and Guard
 - 3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose
 - 1/4 in x 3 ft (6.4 mm x 0.9 m) Whip Hose



When your job requires proven and dependable productivity and versatility for spraying heavier materials, the all-new **DutyMax GH 230DI Convertible** sprayer delivers every time. Equipped with a long stroke, direct immersion pump, this hydraulic sprayer is built for heavier, more demanding jobs. Built for you in both Standard and ProContractor Series.



The ability to convert from gas to electric in seconds without any tools!



When you need maximum performance, turn to the all-new **DutyMax GH 300DI** sprayer to get the job done—*fast!* Outfitted with a long stroke, direct immersion pump, this hydraulic workhorse can handle the biggest, most demanding jobs and materials. Built for you in both Standard and ProContractor Series.



Hydraulic Airless

TexSpray DutyMax GH 300DI


SERIES	PART #
STANDARD	24W967
PROCONTRACTOR	24W968

SPECIFICATIONS

MAX TIP SIZE:	0.057
MAX GPM (LPM):	3.0 (11.4)
MAX PSI (BAR):	3300 (227)
ENGINE CC (HP):	270 (9.0)

- INCLUDES**
STANDARD SERIES UNITS:
- Heavy-Duty Inline Gun
 - LTX643, WR1239 SwitchTips and Guard
 - 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose
 - 3/8 in x 3 ft (9.5 mm x 0.9 m) Whip Hose

- PROCONTRACTOR SERIES UNIT:**
- Heavy-Duty Inline Gun
 - LTX643, WR1239 SwitchTips and Guard
 - 3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose
 - 3/8 in x 3 ft (9.5 mm x 0.9 m) Whip Hose



Check out the full line of Gas and Electric Hydraulic sprayers in the Gas Sprayer brochure (Part #337554), or go online at graco.com today to see the complete offering.

A SOLUTION TO KEEP YOU SPRAYING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco sprayer, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and spraying! Simply follow the registration instructions included with your sprayer.



m.graco.com/proconnect2vid



ProConnect No-Tools Pump Removal System makes swapping out the Endurance Pump fast and easy.

Accessories

TEXTURE AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and hoppers, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

25-Gallon (95 Liter) Texture Hopper This versatile large-capacity hopper connects directly to the Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD. It boosts your productivity by minimizing material refills, and it's easy to attach and maneuver throughout the job site. Part #287987



Air Atomizer Kit Why limit what you can spray? The air atomizer kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter and knock down. Part #244223 (no hose)

Fine Finish Kit The Fine Finish Kit attaches to the guns of the RTX 1500 and GTX 2000EX and delivers a more consistent and controllable finish that's perfect for repair work. Once you try it, you'll never take it off! Part #287227



WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... *we will be there.*

3-YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME MOTOR WARRANTY

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V and Mark X 240 Volt).

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer (Mark IV, Mark V, Mark X 240 Volt, 5900 HD and 7900 HD).

1-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.

For TexSpray Sprayers: RTX 650, RTX 900, RTX 1250, RTX 1500, GTX 2000EX

GUNS

- 288629 RTX 650 Air Spray Trigger Gun
- 288628 RTX 900/1250 Air Spray Trigger Gun
- 248091 RTX 1500 Air Spray Trigger Gun with threaded hose connection
- 248093 Air Spray Trigger Gun with Threaded Hose Connection
 - ▶ Replacement gun for Compact HP and GTX 2000EX series sprayers.
- 238080 RTX 1500 External Air Kit
 - ▶ Connect a separate air compressor for increased atomization energy.
- 238807 3 ft (1 m) Pole Gun with Threaded Hose Connection (Not for use with RTX model sprayers.)
- 287328 Flex Head Gun with Threaded Hose Connection (Not for use with RTX model sprayers.)



NOZZLES

For use on Pole Guns and FlexHead Guns

- | | | | |
|--------|-----------------------|--------|------------------------|
| 190943 | 3/16 in (5 mm) Nozzle | 190945 | 5/16 in (8 mm) Nozzle |
| 190944 | 1/4 in (6 mm) Nozzle | 190946 | 3/8 in (9.5 mm) Nozzle |



For use on RTX 650, 900, 1250 and Hopper Guns

- 234153 Spray Nozzle Kit
 - ▶ Includes 1 each of 4 mm, 6 mm, 8 mm and 12 mm nozzles.

For use on RTX 1500 and GTX 2000 Series Guns

- | | | | |
|--------|-------------|--------|--------------|
| 15C883 | 3 mm Nozzle | 15C886 | 8 mm Nozzle |
| 15C884 | 4 mm Nozzle | 15C887 | 10 mm Nozzle |
| 15C885 | 6 mm Nozzle | 15C888 | 12 mm Nozzle |



For use on RTX 1500, EXT and GTX 2000 Series Guns

- 287227 Fine Finish Kit
 - ▶ Includes fine finish adapter and 1 each of 1/8 in (3.2 mm), 1/4 in (6.4 mm), 5/16 in (8 mm) and 3/8 in (9.5 mm) spray discs.

Nobody Else Builds Scarifiers Like This.

For TexSpray Sprayers: RTX 650, RTX 900, RTX 1250, RTX 1500, GTX 2000EX CONT'D

HOSE KITS

- 288622 RTX 650 Hose Clear Braided Hose Kit: 3/4 in x 20 ft (19 mm x 6 m) Fluid Hose
- 234147 RTX 900 and 1250 Hose Clear Braided Hose Kit: 3/4 in x 25 ft (19 mm x 7.5 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose

RTX 1500, EXT and GTX 2000 Series Hose with Threaded Connections

- 287304 Clear Braided Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose
- 287305 Clear Braided Hose Kit: 1 in x 50 ft (25.4 mm x 15 m) Fluid Hose and 3/8 in x 50 ft (9.5 mm x 15 m) Air Hose
- 287306 Clear Braided Hose Kit: 1.25 in x 25 ft (32 mm x 7.5 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose
- 287307 Clear Braided Hose Kit: 1.25 in x 50 ft (32 mm x 15 m) Fluid Hose and 3/8 in x 50 ft (9.5 mm x 15 m) Air Hose



REPLACEMENT HOSE WITH CAM-LOCK CONNECTION

- 287192 Clear Braided Hose Kit: 1 in x 25 ft (25.4 mm x 7.5 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose
- 287194 Clear Braided Hose Kit: 1 in x 50 ft (25.4 mm x 15 m) Fluid Hose and 3/8 in x 50 ft (9.5 mm x 15 m) Air Hose
- 287195 Clear Braided Hose Kit: 1.25 in x 25 ft (32 mm x 7.5 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose
- 287196 Clear Braided Hose Kit: 1.25 in x 50 ft (32 mm x 15 m) Fluid Hose and 3/8 in x 50 ft (9.5 mm x 15 m) Air Hose

ADDITIONAL ACCESSORIES

- 118487 Cam-Lock Kit—For converting an air spray gun with threaded connection to a cam-lock connection.
- 287337 Cam-Lock Kit—For converting a hose with threaded connection to a cam-lock connection.
- 248112 GTX 2000 Series Siphon Kit—For pumping directly from your mix container.
- 248117 GTX 2000 Series Air Line Kit—For remote operation of the GTX 2000EX air compressor.
- 248515 Sponge Ball Clean-Out Kit—For 1 in (25 mm) ID Hose.

For TexSpray Sprayers: Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 7900 HD, DutyMax GH 230DI Convertible, DutyMax GH 300DI

GUNS

- 246468 Flex Plus Gun
- 241705 Heavy-Duty Blue Texture Gun
- 245820 Inline Heavy-Duty Texture Gun



GUN HOSE KITS

- 241338 Heavy-Duty Blue Texture Gun Hose Kit with 531 RAC X SwitchTip
 - ▶ 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (25 mm x 0.9 m) 3300 psi Whip Hose, Couplers and additional 427 RAC X SwitchTip
- 289585 Inline Heavy-Duty Texture Gun Hose Kit with LTX643 SwitchTip
 - ▶ 1/2 in x 50 ft (13 mm x 15 m) 4000 psi Hose, 3/8 in x 12 ft (9.5 mm x 3.6 m) Whip Hose, Swivel and Fittings



HOPPER

- 287987 25 Gallon (95 Liter) Texture Hopper
 - ▶ Directly connects to Mark IV, Mark V, Mark X 240 Volt, 5900 HD, 5900 Convertible, 7900 HD, DutyMax GH 230DI Convertible, DutyMax GH 300DI.
- 243380 Cam-Lock Hose Adapter
 - ▶ Connects the texture hopper to the GMAX II 7900, 1030 FC units or HTX 2030 sprayers.



ADDITIONAL ACCESSORIES

- 244052 Heavy-Duty Texture Gun Air Atomizer Kit with Air Hose
 - ▶ Minimum air compressor rating of 15 cfm at 90 psi.
- 244223 Heavy-Duty Texture Gun Air Atomizer Kit without Air Hose
 - ▶ Minimum air compressor rating of 15 cfm at 90 psi.
- 289669 55-Gallon Siphon Kit—For Mark X 240 Volt, 7900 HD, DutyMax GH 230DI Convertible, DutyMax GH 300DI
- 15T647 50 ft (15 m) Extension Cord for Mark X 240 Volt

For TexSpray Sprayers: HTX 2030 Complete, HTX 2030 Complete Plus+

GUNS

- 24B327 FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 and 30 Mesh Filters, RAC X 671 Tip and Guard
- 24B944 Pole Gun 3 ft (1 m) with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter
- 24B945 Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter
- 241705 Heavy-Duty Blue Texture Gun
- 24R054 HTX 2030 Trigger Gun Applicator



NOZZLE SELECTION GUIDE*

Nozzle Size	Exterior Aggregate Material
3 mm	up to 1.0 mm (maximum)
4 mm	up to 1.25 mm (maximum)
5 mm	up to 1.5 mm (maximum)
6 mm	up to 2.0 mm (maximum)
8 mm	up to 2.5 mm (maximum)
9.5 mm	up to 2.5 mm (maximum)
10 mm	up to 2.5 mm (maximum)
11 mm	up to 2.5 mm (maximum)
13 mm	up to 2.5 mm (maximum)
14 mm	up to 2.5 mm (maximum)

Nozzle Size	Interior Smooth Material
3 mm	Fine Finish Orange Peel/Fog
4 mm	Fine Finish Orange Peel/Fog
5 mm	Orange Peel, Small Splatter
6 mm	Orange Peel, Small Splatter
8 mm	Splatter, Small to Medium Knockdown
9.5 mm	Acoustics/Popcorn, Splatter, Medium Knockdown
10 mm	Acoustics/Popcorn, Large Knockdown
11 mm	Acoustics/Popcorn, Large Knockdown
13 mm	Acoustics/Popcorn, Large Knockdown
14 mm	Acoustics/Popcorn, Large Knockdown

*Nozzle size requirement could vary based on material viscosity, desired finish, production rate and air settings.

FREEFLO INLINE GUN

- 287227 Fine Finish Kit
 - ▶ Includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray Discs, Retaining Nut and Adapter.
- 248888 3 mm Nozzle 248526 8 mm Nozzle
- 248524 4 mm Nozzle 248527 10 mm Nozzle
- 248525 6 mm Nozzle

POLE AND FLEX HEAD POLE GUNS

- 16A443 5 mm Nozzle 16A448 13 mm Nozzle
- 16A444 6 mm Nozzle 16A449 14 mm Nozzle
- 16A445 8 mm Nozzle 16A420 Cap, Nozzle – Soft
- 16A446 9.5 mm Nozzle 16A405 Cap, Nozzle – Medium
- 16A447 11 mm Nozzle 16A421 Cap, Nozzle – Hard
- 16A246 Fine Finish Adapter

HOSE KITS

- 24B300 3/4 in x 50 ft (1.9 m x 15 m) Fluid Hose with Remote On/Off Switch
- 24B326 3/4 in x 50 ft (1.9 m x 15 m) Extension Fluid Hose

CONVERT-A-PUMP KIT

- 24B140 MaxLife Endurance High Pressure Pump Kit
 - ▶ Includes: High Pressure Lower, Heavy-Duty Texture Gun, 3/8 in x 50 ft Hose (9.5 mm x 15 m), 1/4 in x 3 ft (25 mm x 0.9 m) 3300 psi Whip Hose and RAC X 643 SwitchTip.



ADDITIONAL ACCESSORIES

- 287987 25 Gallon (95 Liter) Texture Hopper
- 243380 Cam-Lock Hose Adapter
 - ▶ Connects Texture Hopper to the HTX 2030 High-Output Texture Pump.
- 24C414 Ball Valve Material Shutoff Kit

For Sprayers: President 10:1, 1030 FC

GUN AND GUN HOSE KIT

- 235490 President 10:1 Air Spray Gun
- 235737 1030 FC Hose Kit
 - ▶ 3/4 in x 50 ft (19 mm x 15 m) Fluid Hose, 1/2 in x 50 ft (13 mm x 15 m) Air Hose

Texture Sprayer Specifications



	TexSpray RTX 650	TexSpray RTX 900	TexSpray RTX 1250	TexSpray RTX 1500	TexSpray GTX 2000 _{ex}	
PERFORMANCE	Maximum psi (bar)	50 (3.5)	60 (4.2)	70 (4.9)	100 (7)	120 (8.3)
	Maximum gpm (lpm)	.65 (2.5)	.9 (3.4)	1.25 (4.7)	2.0 (7.5)	4.0 (15.1)
	Motor hp	1.0	1.7	1.7	2.0	N/A
COMPRESSOR	Compressor Air Output	User Supplied Air Compressor Required Minimum Requirements: 3.5 cfm at 40 psi .09 m³/min	4.0 cfm at 45 psi .11 m³/min	4.0 cfm at 45 psi .11 m³/min	6.5 cfm at 45 psi .18 m³/min	User Supplied Air Compressor Required Minimum Requirements: 12 cfm at 100 psi .33 m³/min
INCLUDES	Gun	Air Spray Trigger	Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger	Heavy-Duty Air Spray Trigger
	Hose	3/4 in x 20 ft (19 mm x 6 m)	3/4 in x 25 ft (19 mm x 7.5 m)	3/4 in x 25 ft (19 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)	1 in x 25 ft (25.4 mm x 7.5 m)
	Maximum Hose Length	20 ft (6 m)	25 ft (7.5 m)	25 ft (7.5 m)	100 ft (30 m)	100 ft (30 m)
	Tips	6 mm, 8 mm	4 mm, 6 mm, 8 mm, 12 mm	4 mm, 6 mm, 8 mm, 12 mm	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm	3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm
DIMENSIONS	Weight lbs (kg)	25 (11.3)	60 (27.2)	65 (29.4)	124 (56)	95 (43)
	Dimensions	12 W x 20 L x 20 H in (30 W x 51 L x 51 H cm)	18 W x 23 L x 41 H in (46 W x 58 L x 104 H cm)	20 W x 24 L x 41 H in (51 W x 61 L x 104 H cm)	26 W x 27 L x 40 H in (66 W x 88 L x 102 H cm)	26 W x 27 L x 40 H in (66 W x 88 L x 102 H cm)
	Hopper gal (liter)	5 (19)	8 (30)	10 (38)	15 (57)	17 (64)
MANUALS	Operation	311767	311768	311768	310624	313384
	Repair	311771	311772	311772	310645	313385
TYPICAL APPLICATIONS	Materials Sprayed	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic and drywall mud	Simulated acoustic, drywall mud, elastomers, deck coatings and some cement-based materials	Simulated acoustic, drywall mud, elastomers, deck coatings and some cement-based materials
	Surfaces	Residential and light commercial interiors	Residential and light commercial interiors	Residential and light commercial interiors	Residential and commercial interiors	Residential and commercial interiors
MODEL	Part Number	254973	254974	254975	248201	257030

President 10:1

PERFORMANCE	Maximum psi (bar)	1000 (70)
	Maximum gpm (lpm)	3.0 (11)
	Motor	President Air
COMPRESSOR	Compressor Air Output	User Supplied Minimum Air Compressor Rating: 80 cfm at 90 psi for best results
INCLUDES	Gun	Heavy-Duty Air Spray
	Maximum Hose Length	200 ft (60.7 m)
	Nozzle	6 mm
DIMENSIONS	Weight lbs (kg)	43 (20) Pump Only
	Dimensions	7 w x 57 l x 18 w in (18 w x 145 l cm)
MANUALS	CS Models	306402
	SST Models	309489
TYPICAL APPLICATIONS	Materials Sprayed	Smooth to heavily aggregated textures with silica sand, perlite, vermiculite and polystyrene, smooth, medium, coarse and extra coarse grade
	Surfaces	Heavy-duty residential and commercial interiors and exteriors
MODEL	Part Number	Carbon Steel Complete-225886 Carbon Steel Complete-225877 SST Bare-954088 SST Complete-987429

TexSpray HTX 2030 Complete

TexSpray HTX 2030 Complete Plus+

Part Number	258740	258741	
For Spraying	For exterior aggregate and smooth finishes as well as common interior texture finishes such as orange peel, splatter, knockdown and simulated acoustic	For exterior aggregate and smooth finishes as well as common interior texture finishes. Can also airlessly apply the wide range of heavier smooth coatings, Level 5, primers and paints	
INCLUDES:			
High-Output Piston Texture Pump	✓	✓	
FreeFlo Inline Gun	✓	✓	
3/4 in x 50 ft (19 mm x 15 m) Hose	✓	✓	
55-Gallon Suction Set	✓	✓	
Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in, and 3/8 in Nozzles	✓	✓	
4, 6, 8, 10 mm Nozzles	✓	✓	
RAC X 671 Airless Tip	✓	✓	
MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)	✓	
Heavy-Duty Texture Gun	N/A	✓	
3/8 in x 50 ft (9.5 mm x 15 m) Blue Max II Hose & 3 ft (1 m) Whip Hose	N/A	✓	
RAC X 643 Airless Tip	N/A	✓	
	High-Output Texture Pump	With High-Output Texture Pump	With MaxLife Endurance High Pressure Pump
Maximum Tip Size	0.071	0.071	0.048
Maximum gpm (lpm)	3.0 (11)	3.0 (11)	2.2 (8.3)
Maximum psi (bar)	1000 (70)	1000 (70)	3300 (227)
Honda Engine cc (hp at 3600 rpm)	200 (6.5)	200 (6.5)	
Compressor	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results	
Weight lbs (kg)	155 (70)	155 (70)	150 (68)
PUMP:			
Intake	QuikAccess	QuikAccess	QuikAccess
Rod	Hard Chrome	Hard Chrome	Chromex
Sleeve	Hard Chrome	Hard Chrome	MaxLife
Packings	HD Poly	HD Poly	V-Max Blue

		TexSpray Mark IV
SPECIFICATIONS	Maximum Tip Size	0.033
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	1.10 (4.1)
	Motor	MaxPower 2.2 hp Brushless DC
	Control	SmartControl 3.0
	Weight lb (kg)	108 (49)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes

		TexSpray Mark V
		0.039
		3300 (227)
		1.35 (5.1)
		MaxPower 2.8 hp Brushless DC
		SmartControl 3.0
		135 (61)
		Compressor and Air Atomizer Kit required for some texture finishes



		TexSpray Mark X 240 Volt
SPECIFICATIONS	Maximum Tip Size	0.045
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	2.10 (7.9)
	Motor	MaxPower 4.0 hp Brushless DC
	Control	SmartControl 3.0
	Weight lb (kg)	142 (64)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR	STANDARD	PROCONTRACTOR	IRONMAN
MODEL	Part Number	16W897	16W898	16W905	16W906	16X947
	INCLUDES					
INCLUDES	Gun	FlexPlus	FlexPlus	Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture
	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
	Tip(s)	RAC X 425	RAC X 425	RAC X 427 and 531	RAC X 427 and 531	RAC X 427 and 531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2	QuikChange System	ProConnect 2	ProConnect 2
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST	Hardened SST	Hardened SST	MaxLife Extreme Duty
ADDITIONAL SERIES FEATURES		-	QuikReel	-	QuikReel	Roll Cage Frame
		-	FastFlush	-	FastFlush	LED Display
		-	LED Display	-	LED Display	WatchDog
		-	WatchDog	-	WatchDog	Flat-Proof Tires
		-	On-Board Toolbox	-	On-Board Toolbox	FastFlush
MANUAL	Operation	332916	332916	332916	332916	332916
	Parts	332918	332918	332918	332918	332918
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	16W908	16X099
	INCLUDES		
INCLUDES	Gun	Heavy-Duty Inline Texture	Heavy-Duty Inline Texture
	Hose	1/2 in x 50 ft (13 mm x 15 m)	1/2 in x 100 ft (13 mm x 30 m)
	Tip(s)	LTX531 and LTX541	LTX531 and LTX541
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST
ADDITIONAL SERIES FEATURES		-	QuikReel
		-	-
		-	LED Display
		-	WatchDog
		-	On-Board Toolbox
MANUAL	Operation	332916	332916
	Parts	332918	332918
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
	Surfaces	Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors



		TexSpray 5900 HD
SPECIFICATIONS	Maximum Tip Size	0.043
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	1.60 (6.0)
	Motor/Engine cc (hp)	Honda 160 (5.5)
	Control	SmartControl 3.0
	Weight lb (kg)	147 (67)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes

		TexSpray 7900 HD
		0.048
		3300 (227)
		2.20 (8.3)
		Honda 200 (6.5)
		SmartControl 3.0
		159 (72)
		Compressor and Air Atomizer Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	16W889	16W882
INCLUDES	Gun	Heavy-Duty Texture	Heavy-Duty Texture
	Hose	3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)
	Tips	LTX427 and LTX531	LTX427 and TX531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Chromex	Chromex
	Sleeve	Hardened SST	Hardened SST
ADDITIONAL SERIES FEATURES		-	QuikReel
		-	-
		-	LED Display
		-	WatchDog
		-	On-Board Toolbox
MANUAL	Operation	332919	332919
	Parts	332921	332921
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

SERIES TYPE		STANDARD	PROCONTRACTOR	IRONMAN
		16W890	16W888	16X949
		Heavy-Duty Texture	Heavy-Duty Texture	Heavy-Duty Texture
		3/8 in x 50 ft (9.5 mm x 15 m)	3/8 in x 100 ft (9.5 mm x 30 m)	3/8 in x 100 ft (9.5 mm x 30 m)
		LTX427 and LTX531	LTX427 and LTX531	LTX427 and LTX531
		60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
		QuikChange System	ProConnect 2	ProConnect 2
		Chromex	Chromex	Chromex
		MaxLife Extreme Duty	MaxLife Extreme Duty	MaxLife Extreme Duty
		-	QuikReel	Roll Cage Frame
		-	-	LED Display
		-	LED Display	WatchDog
		-	WatchDog	Flat-Proof Tires
		-	On-Board Toolbox	
		332919	332919	332919
		332921	332921	332921
		Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
		Large residential and commercial interiors and exteriors	Large residential and commercial interiors and exteriors	Large commercial and industrial interiors and exteriors

		TexSpray DutyMax GH 230D1 Convertible
SPECIFICATIONS	Maximum Tip Size	0.053
	Maximum psi (bar)	3300 (227)
	Maximum gpm (lpm)	2.35 (8.9)
	Motor/Engine cc (hp)	Honda 200 (6.5)
	Control	-
	Weight lb (kg)	203 (92)
	Compressor Air Output	Compressor and Air Atomizer Kit required for some texture finishes

		TexSpray DutyMax GH 300D1
		0.057
		3300 (227)
		3.0 (11.4)
		Honda 270 (9.0)
		-
		218 (99)
		Compressor and Air Atomizer Kit required for some texture finishes



SERIES TYPE		STANDARD	PROCONTRACTOR
MODEL	Part Number	24W943 Gas Only 24W944 Gas and 120V Electric (non CSA) 24W945 Gas and 120V Electric (CSA)	24W962 Gas Only 24W963 Gas and 120V Electric (non CSA) 24W964 Gas and 120V Electric (CSA)
INCLUDES	Gun	Heavy-Duty Texture	Heavy-Duty Texture
	Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose
	Tips	LTX427 and LTX531	LTX427 and LTX531
	Filter	60 Mesh Easy Out	60 Mesh Easy Out
PUMP	Type	QuikChange System	ProConnect 2
	Rod	Hard Chrome	Hard Chrome
	Sleeve	Hardened SST	MaxLife Extreme Duty
ADDITIONAL SERIES FEATURES		-	QuikReel
		-	Heavy-Duty Rock Catcher
		-	
		-	
		-	
MANUAL	Operation		
	Parts		
TYPICAL APPLICATIONS	Materials Sprayed	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
	Surfaces	Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors

SERIES TYPE		STANDARD	PROCONTRACTOR
		24W967	24W968
		Heavy-Duty Inline	Heavy-Duty Inline
		3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 3/8 in x 3 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose	3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless 3/8 in x 3 ft (9.5 mm x 0.9 m) BlueMax II Whip Hose
		LTX643 and WR1239	LTX643 and WR1239
		60 Mesh Easy Out	60 Mesh Easy Out
		QuikChange System	ProConnect 2
		Hard Chrome	Hard Chrome
		Hardened SST	MaxLife Extreme Duty
		-	QuikReel
		-	Heavy-Duty Rock Catcher
		-	
		-	
		-	
		Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials	Oil-based coatings, enamels, latex, block-fillers, elastomers, epoxies, drywall mud and other high-build materials
		Medium to large residential and commercial interiors and exteriors	Medium to large residential and commercial interiors and exteriors



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955